

Type: **NZM1–XTVDVR**

Article No.: **260178**

Sales text **Door coupling rotary handle red–yellow**



Complete including rotary drive and coupling parts

An additional extension shaft is necessary with the NZM...–XT(V)D(V)(R)(–60) types.

Degree of protection IP66/UL/CSA Type 4X

#### Ordering information

|              |  |  |                                                                                                                                                            |
|--------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description  |  |  | Red–yellow for<br>Emergency–Stop                                                                                                                           |
| Description  |  |  | Lockable on the handle on the<br>switch using up to 3 padlocks.<br>Lockable in 0 position on<br>handle. With door interlock.<br>Lockable in the 0 position |
| For use with |  |  | NZM1(–4), PN1(–4), N(S)1(–4)                                                                                                                               |

#### Note concerning the product

Door interlock

- Not defeatable in the locked OFF position.
- Can be modified such that it can be defeated from the outside using a screwdriver, when it is in the unlocked ON position.
- Door can be opened in OFF

NZM...–XTVDVR

- External warning plate/designation label can be clipped on


#### Product view

### Notes concerning the product group

Circuit-breaker can also be installed in a lying position 90 ° left/right, with the handle still in the same position.


NZM1-XT(V)D(V)(R)(-NA)  
NZM1/2-XV4(6)

## Dimensions




Up to 3 padlocks

## Dimensions



## Dimensions



---

Minimum door coupling rotary handle clearance from door pivot point

---

Moeller GmbH, Hein-Moeller-Str. 7-11, D-53115 Bonn  
E-Mail: [catalog@moeller.net](mailto:catalog@moeller.net), Internet: [www.moeller.net](http://www.moeller.net), <http://catalog.moeller.net>  
Copyright 2006 by Moeller GmbH. HPL-C2007G V2.1