

## PRODUCT-DETAILS

# S2C-H6R

## S2C-H6R - Auxiliary Contact



### General Information

|                       |                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | S2C-H6R                                                                                                                                                                                                  |
| Product ID            | 2CDS200912R0001                                                                                                                                                                                          |
| EAN                   | 4016779563826                                                                                                                                                                                            |
| Catalog Description   | S2C-H6R - Auxiliary Contact                                                                                                                                                                              |
| Long Description      | Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs. |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | 2102500       |
| EAN                    | 4016779563826 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85365080      |

### Dimensions

|                            |        |
|----------------------------|--------|
| Product Net Width          | 8.8 mm |
| Product Net Height         | 85 mm  |
| Product Net Depth / Length | 69 mm  |

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.043 kg |
|--------------------|----------|

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 20 mm         |
| Package Level 1 Height         | 115 mm        |
| Package Level 1 Depth / Length | 104 mm        |
| Package Level 1 Gross Weight   | 0.045 kg      |
| Package Level 1 EAN            | 4016779563826 |
| Package Level 2 Units          | 60 piece      |
| Package Level 2 Width          | 275 mm        |
| Package Level 2 Height         | 210 mm        |
| Package Level 2 Depth / Length | 395 mm        |
| Package Level 2 Gross Weight   | 3.4 kg        |
| Package Level 2 EAN            | 4016779946193 |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Additional Information

|                            |                                                                                                                       |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Accessory Type             | Auxiliary Contact                                                                                                     |
| Function                   | Auxiliary Contact                                                                                                     |
| Power Loss                 | 0,5 W                                                                                                                 |
| Product Main Type          | S2C                                                                                                                   |
| Product Name               | Auxiliary Contact                                                                                                     |
| RoHS Date                  | 0335                                                                                                                  |
| Standards                  | CSA Class 3215-30<br>CSA Class 3215-90<br>GB14048.5<br>IEC/EN 60947-5-1<br>UL 1077                                    |
| Suitable For               | S200<br>S200M<br>S200P<br>S200S<br>SN201L<br>SN201<br>SN201M<br>F200<br>DS201<br>DS202C<br>DS200<br>S-ARC1<br>DS-ARC1 |
| Suitable for Product Class | Miniature Circuit Breaker<br>Residual Current Device                                                                  |
| Technical Information      | AUXILIARYCONTACT                                                                                                      |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 9AKK106930A8017 |
| Declaration of Conformity - CE    | 2CDK400628D2701 |
| Environmental Information         | 2CDK400571D0201 |
| Instructions and Manuals          | 9AKK107680A3433 |
| RoHS Information                  | 2CDK440032D0203 |

## Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 4        | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 5        | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 6        | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 7        | EC001286 - Auxiliary device for distribution board devices |
| UNSPSC        | 39121614                                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass        | 7.0 27143502                                               |

## Where Used (as a spare part for "Products")

| Identifier   | Description              | Quantity | Unit Of Measure |
|--------------|--------------------------|----------|-----------------|
| 9AAC30403877 | No Description Available | 1        | piece           |
| 9AAC30404896 | No Description Available | 1        | piece           |

## Product specific part data

| Product      | Category    | Switchgear Part Category |
|--------------|-------------|--------------------------|
| 9AAC30403877 | SafeRing 36 | Auxiliary Contacts       |
| 9AAC30404896 | SafePlus 36 | Auxiliary Contacts       |

## Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear → Gas Insulated Ring Main Units → SafeRing 36

Medium Voltage Products and Systems → Switchgear and Motor Control → Secondary Switchgear → Gas Insulated Secondary Switchgear → SafePlus 36

