



RoHS  Compliant 

Data
Technical Data

Main product function	Operating tool
Number of pitches	1 -way

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

Material Data

Weight	26 g
--------	------

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	bag
Country of origin	DE
GTIN	4045454937386
Customs tariff number	82055980000

Counterpart


Downloads

Documentation

Bid Text


210-719 doc - Datei	Jan 4, 2018	doc 23.6 kB	Download
210-719 GAEB X81 - Datei	Feb 19, 2019	xml 2.7 kB	Download

Handling Instructions



Inserting a conductor via (2.5 x 0.4) mm screwdriver. Operation is performed perpendicular to conductor entry.

Subject to changes. Please also observe the further product documentation!



The blade dimensions of the above-listed operating tools with a partially insulated shaft are ideal for easy operation of front-entry terminal blocks.

Subject to changes. Please also observe the further product documentation!

WAGO Kontakttechnik GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.