


Printed-circuit board connector - PC 5/ 3-GSF-7,62 - 1707924

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



The figure shows a 3-position version

Header, Nominal current: 41 A, Rated voltage (III/2): 630 V, Number of positions: 3, Pitch: 7.62 mm, Color: green, Contact surface: Tin, Mounting: Wave soldering



Key Commercial Data

Packing unit	50 STK
Minimum order quantity	50 STK
GTIN	 4 055626 077499
Weight per Piece (excluding packing)	10.48 g
Custom tariff number	85366990
Country of origin	Germany

Technical data

Product type	PCB headers
Approval	cULus Recognized
	UL Recognized
	cUL Recognized
	EAC
	cULus Recognized
Rated voltage (IEC)	630
Rated current (IEC)	41
Mounting type	Wave soldering
Number of positions	3
Pitch	7.62 mm
Levels	single-level
Type of locking	Click & Lock latching window


Printed-circuit board connector - PC 5/ 3-GSF-7,62 - 1707924

Technical data


Plug-in system	POWER COMBICON 5
Product family	PC 5/...-GSF
Contact type	Male connector

Drawings

Drilling diagram




Diagram



Type: SPC 5/...-STCL-7,62 with PC 5/...-GSF-7,62

Dimensional drawing



Classifications

eCl@ss

eCl@ss 8.0	27440402
eCl@ss 9.0	27440402

ETIM

ETIM 5.0	EC002637
----------	----------

Approvals

Approvals

Approvals

cULus Recognized / UL Recognized / cUL Recognized / EAC / cULus Recognized

Printed-circuit board connector - PC 5/ 3-GSF-7,62 - 1707924

Approvals

Ex Approvals

Approvals submitted

Approval details

cULus Recognized			
	B	C	D
Nominal current I _N	41 A	41 A	10 A
Nominal voltage U _N	300 V	150 V	150 V

UL Recognized 			
	B	C	D
Nominal current I _N	41 A	41 A	10 A
Nominal voltage U _N	300 V	150 V	300 V

cUL Recognized 			
	B	C	D
Nominal current I _N	41 A	41 A	10 A
Nominal voltage U _N	300 V	150 V	300 V

EAC

cULus Recognized 
--