




Color: ■ white

Similar to illustration

| Technical data              |                                    |
|-----------------------------|------------------------------------|
| Marking method              | Thermal transfer                   |
| Marking                     | 11 ... 20                          |
| Marking (number)            | 10                                 |
| Marking direction           | Horizontal marking                 |
| Marking color               | black                              |
| Marking type                | Numbers                            |
| Marking differentiation     | Consecutive numbers per strip      |
| Delivery form               | Marker card                        |
| Delivery form configuration | 10 strips with 10 markers per card |
| Flammability class per UL94 | V2                                 |

| Physical data      |      |
|--------------------|------|
| Marker/strip width | 5 mm |
| Marker width       | 5 mm |

| Mechanical data  |                 |
|------------------|-----------------|
| Smear resistance | EN 60998-1:2004 |

| Material data |                               |
|---------------|-------------------------------|
| Color         | white                         |
| UV resistance | EN 60068-2-5:2010 Procedure B |
| Halogen-free  | Yes                           |
| Weight        | 8.5 g                         |
| Fire load     | 0.264 MJ                      |



| Commercial data       |                                |  |
|-----------------------|--------------------------------|--|
| Product Group         | 2 (Terminal Block Accessories) |  |
| eCl@ss 10.0           | 27-14-11-37                    |  |
| eCl@ss 9.0            | 27-14-11-37                    |  |
| ETIM 8.0              | EC000761                       |  |
| ETIM 7.0              | EC000761                       |  |
| PU (SPU)              | 5 pcs                          |  |
| Packaging type        | Bag                            |  |
| Country of origin     | DE                             |  |
| GTIN                  | 4017332529709                  |  |
| Customs tariff number | 49119900000                    |  |

| Environmental Product Compliance |                        |  |
|----------------------------------|------------------------|--|
| RoHS Compliance Status           | Compliant,No Exemption |  |

Downloads

Environmental Product Compliance

Compliance Search


Environmental Product Compliance 793-503

↓

| Documentation |            |     |          |   |
|---------------|------------|-----|----------|---|
| Bid Text      |            |     |          |   |
| 793-503       | 19.02.2019 | xml | 2.72 KB  | ↓ |
| 793-503       | 29.11.2018 | doc | 23.50 KB | ↓ |

Installation Notes

Application



Separating a strip from the WMB or WMB marker card.



Stretching a WMB marker strip.




Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.