



General ordering data

Order No.	1972300000
Part designation	BCF 3.81/12/180LR SN OR
Version	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 12, 180°, Box
EAN	4032248681280
Qty.	50 pc(s).

Classifications

eClass 5.1	27-26-07-04
------------	-------------

Similar products

Order No.	Part designation	Version
1972200000	BCF 3.81/02/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 2, 180°, Box
1972600000	BCF 3.81/02/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 2, 180°, Box
1972390000	BCF 3.81/02/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 2, 180°, Box
1972210000	BCF 3.81/03/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 3, 180°, Box
1972610000	BCF 3.81/03/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 3, 180°, Box
1972400000	BCF 3.81/03/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 3, 180°, Box
1972220000	BCF 3.81/04/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 4, 180°, Box
1972620000	BCF 3.81/04/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 4, 180°, Box
1972410000	BCF 3.81/04/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 4, 180°, Box

1972230000	BCF 3.81/05/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 5, 180°, Box
1972630000	BCF 3.81/05/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 5, 180°, Box
1972420000	BCF 3.81/05/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 5, 180°, Box
1972240000	BCF 3.81/06/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 6, 180°, Box
1972640000	BCF 3.81/06/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 6, 180°, Box
1972450000	BCF 3.81/06/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 6, 180°, Box
1972250000	BCF 3.81/07/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 7, 180°, Box
1972650000	BCF 3.81/07/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 7, 180°, Box
1972460000	BCF 3.81/07/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 7, 180°, Box
1972260000	BCF 3.81/08/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 8, 180°, Box
1972660000	BCF 3.81/08/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 8, 180°, Box
1972470000	BCF 3.81/08/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 8, 180°, Box
1972270000	BCF 3.81/09/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 9, 180°, Box
1972670000	BCF 3.81/09/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 9, 180°, Box
1972480000	BCF 3.81/09/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 9, 180°, Box
1972280000	BCF 3.81/10/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 10, 180°, Box
1972680000	BCF 3.81/10/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 10, 180°, Box
1972490000	BCF 3.81/10/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 10, 180°, Box
1972290000	BCF 3.81/11/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 11, 180°, Box
1972690000	BCF 3.81/11/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 11, 180°, Box
1972500000	BCF 3.81/11/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 11, 180°, Box
1972700000	BCF 3.81/12/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 12, 180°, Box
1972510000	BCF 3.81/12/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 12, 180°, Box
1972310000	BCF 3.81/13/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 13, 180°, Box
1972710000	BCF 3.81/13/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 13, 180°, Box
1972520000	BCF 3.81/13/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 13, 180°, Box

1972320000	BCF 3.81/14/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 14, 180°, Box
1972720000	BCF 3.81/14/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 14, 180°, Box
1972530000	BCF 3.81/14/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 14, 180°, Box
1972330000	BCF 3.81/15/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 15, 180°, Box
1972730000	BCF 3.81/15/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 15, 180°, Box
1972540000	BCF 3.81/15/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 15, 180°, Box
1972340000	BCF 3.81/16/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 16, 180°, Box
1972740000	BCF 3.81/16/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 16, 180°, Box
1972550000	BCF 3.81/16/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 16, 180°, Box
1972350000	BCF 3.81/17/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 17, 180°, Box
1972750000	BCF 3.81/17/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 17, 180°, Box
1972560000	BCF 3.81/17/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 17, 180°, Box
1972360000	BCF 3.81/18/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 18, 180°, Box
1972760000	BCF 3.81/18/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 18, 180°, Box
1972570000	BCF 3.81/18/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 18, 180°, Box
1972370000	BCF 3.81/19/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 19, 180°, Box
1972770000	BCF 3.81/19/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 19, 180°, Box
1972580000	BCF 3.81/19/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 19, 180°, Box
1972380000	BCF 3.81/20/180LR SN OR	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 20, 180°, Box
1972780000	BCF 3.81/20/180LR SN SW	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 20, 180°, Box
1972590000	BCF 3.81/20/180LR SN GN	Leiterplattensteckverbinder, Female connectors, Push In, Clamping range, max.: 1.5 mm ² , Pitch: 3.81 mm, No. of poles: 20, 180°, Box