

Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x




Features:

- 698-3700MHz
- Omni radiation pattern in horizontal plane
- Gain 2/4 dBi
- Power rating 5W
- IP65
- · Connector options:
 - W5084 TNC male
 - W5084K SMA male

Applications:

- LTE radios
- 2G/3G/4G radios
- Gateways, Routers, Set top boxes, Security, Metering
- IoT, M2M
- Optimized for straight and 90deg bent positions



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

ELECTRICAL SPECIFICATIONS

Frequency	698-960/1400-2690/3400-3700MHz	
Nominal Impedance	50	Ω
VSWR	3	Max
Average Efficiency(698-960MHz)	58	%
Average Efficiency(1400-2690MHz)	78	%
Average Efficiency(3400-3700MHz)	60	%
Peak Gain (698-960MHz)	2	dBi +/- 1 dB
Peak Gain (1400-2690MHz)	4	dBi +/- 1 dB
Peak Gain (3400-3700MHz)	5	dBi +/- 1 dB
Polarization:	Vertical	
Power withstanding	5	W
Connector type	TNC male (SMA male is optional)	
Connector Options	W5084 TNC male	connector
	W5084K SMA male	connector

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



2



Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

MECHANICAL SPECIFICATIONS		
Plastic radome	ABS/PC	
Color	Black	
Flammability	UL94-V0	
Ingress Protection	IP65	
Weight	65.9 g	
Overall Length(W5084/W5084K)	228.84/223.24mm [9.01/8.79INCHES]	
Position	0°, 45° & 90°	

ENVIRONMENTAL SPECIFICATIONS

Operating temperature

Storage Temperature

Salt mist

-40/+85 ° C

-40/+85 ° C

96 hours

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

MECHANICAL DRAWING



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

4

RoHS




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS

VSWR



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

5




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS

Efficiency



In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

6




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS

Peak Gain



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

7




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

8




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

9




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 11




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 12




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 13




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 14




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 15




Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

CHARTS



Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 16



Description: LTE 698-3700MHz Swivel Dipole

Series: OMNI Antenna

PART NUMBER: W5084x

PACKAGING

1PCS/PE bag 100PCS/Carton box

Issue: 1746

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



17