## **XVR08B06**

Rotating beacon, 84 mm, blue, without buzzer, 24 V AC DC





Main	
Range of product	Harmony XVR
Product or component type	Prewired rotating mirror beacon
Sound signalling	Without
Device short name	XVR
Mounting diameter	3.31 in (84 mm)
IP degree of protection	IP65 IEC 60529 with accessory) IP23 IEC 60529
[Us] rated supply voltage	24 V AC/DC
Light source	High luminosity LED, blue

#### Complementary

Complementary		
Material	ABS (acrylonitrile butadiene-styrene) body part PC globe	
CAD overall width	3.31 in (84 mm)	
CAD overall depth	3.31 in (84 mm)	
Net Weight	0.66 lb(US) (0.3 kg)	
Marking	CE	
Product mounting	By 3 M4 screws	
Supply voltage limits	1930 V DC 21.626.4 V AC	
[Uimp] rated impulse withstand voltage	0.8 kV	
Current consumption	125 mA	
Flashing frequency	2.3 Hz	
Clamping connection capacity	0.83 mm²	
AWG gauge	AWG 18	
Cable length	19.69 in (500 mm)	

#### Environment

Standards	EN 61000-6-2 EN 61000-6-4
Product certifications	UL
Protective treatment	TC
Ambient air temperature for storage	-31158 °F (-3570 °C)
Ambient air temperature for operation	14122 °F (-1050 °C)
Electrical shock protection class	Class II IEC 61140

### Ordering and shipping details

Category	22617 - XVC TOWER LIGHTS
Discount Schedule	XV
GTIN	00785901964575
Nbr. of units in pkg.	1
Package weight(Lbs)	0.87 lb(US) (0.39 kg)
Returnability	No
Country of origin	ID

## Packing Units

Package 1 Height	1.900 dm	
Package 1 width	0.980 dm	
Package 1 Length	1.000 dm	

## Offer Sustainability

Green Premium product
WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope) EVEL RoHS
Yes
Yes
₫Yes
d China RoHS Declaration
Product Environmental Profile
☑ End Of Life Information
The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

## Contractual warranty


Warranty	18 months


# Product data sheet Dimensions Drawings

# **XVR08B06**

## **Rotating Mirror Beacon**

## Dimensions





# Product data sheet Mounting and Clearance

# **XVR08B06**

## Rotating Mirror Beacon

## Panel Cut-out

