


IMCV 1,5/ 8-G-3,81

Order No.: 1875483

The figure shows a 16-pos. version of the product



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1875483>

Header, Nominal current: 8 A, Nom. voltage: 160 V, Pitch: 3.81 mm,
Number of positions: 8, Color: green, Assembly: Soldering

Commercial data

EAN	4017918133986
Pack	50 pcs.
Customs tariff	85366990
Weight/Piece	0.002766 KG
Catalog page information	Page 187 (CC-2009)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions / positions

Length	6.85 mm
Pitch	3.81 mm
Dimension a	26.67 mm
Number of positions	8
Pin dimensions	0,8 x 0,8 mm

Technical data


Accessories

Marking

Drawings

Technical drawing of a mechanical part showing dimensions and a coordinate system. The part is symmetrical about a vertical centerline. Dimensions are given in millimeters (mm). The coordinate system has its origin at the top center, with the x-axis pointing right and the y-axis pointing down. Dimensions include: 2,3 (horizontal distance from y-axis to first hole center), 3,81 (horizontal distance from y-axis to second hole center), 1,2 (vertical distance from x-axis to first hole center), 3,81 (vertical distance from x-axis to second hole center), and 'a' (total horizontal width of the part).

Dimensioned drawing



Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2009 Phoenix Contact
Technical modifications reserved;