


MC 1,5/ 6-G-3,5 BK

Order No.: 1876301

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1876301>Header, Nominal current: 8 A, Number of positions: 6, Pitch: 3.5 mm,
Color: Black, Contact surface: Tin**Commercial data**

EAN	 4 017918 267988
Note	Made-to-order
sales group	E100
Pack	50 Pcs.
Customs tariff	85366990
Gross weight in pieces	0.001763 KG
Net weight per piece	0.0015 KG

Product notesWEEE/RoHS-compliant since:
01/01/2003

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Dimensions**

Pitch	3.5 mm
Dimension a	17.5 mm

General

Range of articles	MC 1,5/...-G
Rated voltage (III/3)	160 V
Connection in acc. with standard	EN-VDE
Nominal current I_N	8 A
Color	Black
Number of positions	6

Certificates / Approvals



Certification


CSA, cULus Recognized, VDE Gutachten mit
Fertigungsüberwachung, CCA, IEC CB Scheme

Certifications applied for:

Certification Ex:

Drawings

Diagram



Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2013 Phoenix Contact
Technical modifications reserved;