

MCV 1,5/ 2-G-3,5 AU

Order No.: 1882735

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1882735>Header, Nominal current: 8 A, Number of positions: 2, Pitch: 3.5 mm,
Color: green, Contact surface: Gold**Commercial data**

EAN	 4 017918 347710
sales group	E100
Pack	50 Pcs.
Customs tariff	85366990
Gross weight in pieces	0.000748 KG
Net weight per piece	0.000544 KG

Product notesWEEE/RoHS-compliant since:
01/01/2003

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Dimensions**

Pitch	3.5 mm
Dimension a	3.5 mm

General

Range of articles	MCV 1,5/...-G
Rated voltage (III/3)	160 V
Connection in acc. with standard	EN-VDE
Nominal current I_N	8 A
Color	green

Number of positions	2
---------------------	---

Certificates / Approvals



Certification


CSA, cULus Recognized, GOST, VDE Gutachten mit
 Fertigungsüberwachung, CCA, IEC CB Scheme

Certifications applied for:


Certification Ex:

Drawings

Diagram



**Type: MCV 1,5/...-ST-3,5 AU with MCV
 1,5/...-G-3,5 AU**



**Type: MC 1,5/...-ST(F)-3,5 AU with MCV
 1,5/...-G(F)-3,5 AU**

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;