

STB 3/3-G-5,08

Order No.: 1751031

<http://eshop.phoenixcontact.com.cn/phoenix/treeViewClick.do?UID=1751031>

Header, Nominal current: 16 A, Number of positions: 3, Pitch: 5.08 mm, Color: green, Contact surface: Tin, Assembly: Soldering

Commercial data

Pack	50 pcs.
Customs tariff	85369010
Gross weight in pieces	1.82 g

Product notes

WEEE/RoHS-compliant since:
2003-01-01



Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation at <http://www.download.phoenixcontact.com>. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Dimensions / positions

Pitch	5.08 mm
Number of positions	3
Pin dimensions	1 x 0,8 mm
Hole diameter	1.3 mm

Technical data

Range of articles	STB
Connection in acc. with standard	EN-VDE
Nominal current I_N	16 A
Nominal voltage U_N	250 V
Color	green

Stripping length	8 mm
------------------	------

Certificates



Certification

CSA, GOST, UL Recognized

Certifications applied for:

Certification Ex:

Address

Phoenix Contact China
No. 36 Phoenix Road - Jiangning Development Zone
211100 Nanjing, China
Phone 86-25-52121888
Fax 86-25-52121555
<http://www.phoenixcontact.com.cn>

PHOENIX CONTACT Middle East FZ LLC
Technical modifications reserved;