

# Marker pin Zack strip - BN-ZB 5,2/WH CUS - 0824271

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Marker pin Zack strip, can be ordered: Strip, white, labeled according to customer specifications, mounting type: Plug in, for terminal block width: 5.2 mm, lettering field size: 4 x 4 mm

The figure shows version BN-ZB 5,2 -UNPRINTED, - CONSEC. NOS and BNB-ZB 5,2 SO/CMS



## Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 351454
GTIN	4046356351454
Weight per Piece (excluding packing)	0.465 g
Custom tariff number	49119900
Country of origin	Germany
Note	Made to Order (non-returnable)

## Technical data

### Dimensions

Width (a)	4 mm
-----------	------

### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
---------------------------------	-------------------

### General

Color	white
Type	other
Components	free from silicone and halogen
Flammability rating according to UL 94	V2
Material	PA
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Marking mounting type	Plug in

# Marker pin Zack strip - BN-ZB 5,2/WH CUS - 0824271


## Technical data

### Standards and Regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Flammability rating according to UL 94	V2

## Drawings

Schematic diagram



- ① Horizontal
- ② Vertical

## Classifications

### eCl@ss

eCl@ss 4.0	24190219
eCl@ss 4.1	24190219
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27141137
eCl@ss 9.0	27141137

### ETIM

ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC000761
ETIM 6.0	EC000761

### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410

## Marker pin Zack strip - BN-ZB 5,2/WH CUS - 0824271

### Classifications

#### UNSPSC

UNSPSC 13.2	39131505
-------------	----------