

RB UT 16-(2,5/4)

Order No.: 3047073

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3047073>

Reducing bridge, Number of positions: 2, Color: red

Commercial data

EAN	 4 046356 055864
sales group	A890
Pack	10 Pcs.
Customs tariff	85389099
Gross weight in pieces	0.00417 KG
Net weight per piece	0.004 KG
Catalog page information	Page 28 (C-3-2013)

Product notesWEEE/RoHS-compliant since:
01/01/2003

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Technical data**

Color	red
Material	PA 6.6
Number of positions	2

Inflammability class according to UL 94	V0
Maximum temperature	125 °C

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;