

Mounting material - PSD-S ME BT 110 - 2700156

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Foot with integrated tube, 110 mm long, black



Key commercial data

| | |
|--------------------------------------|----------|
| Packing unit | 1 pc |
| Weight per Piece (excluding packing) | 45.0 GRM |
| Custom tariff number | 85318095 |
| Country of origin | Germany |

Technical data

Dimensions

| | |
|----------|--------|
| Diameter | 70 mm |
| Height | 110 mm |

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -20 °C ... 60 °C |
|---------------------------------|------------------|

General

| | |
|-----------------------|--------------------------------|
| Material | PA-GF |
| Color | black |
| Weight | 63 g |
| Mounting position | any |
| Mounting type | Tube mounting Base mounting |
| Assembly instructions | Seal is supplied with |
| Scope of delivery | 1 x seal |

Mounting material - PSD-S ME BT 110 - 2700156

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27143203 |
| eCl@ss 4.1 | 27143203 |
| eCl@ss 5.0 | 27371234 |
| eCl@ss 5.1 | 27371234 |
| eCl@ss 6.0 | 27371234 |
| eCl@ss 7.0 | 27371234 |
| eCl@ss 8.0 | 27371234 |

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001259 |
| ETIM 4.0 | EC001259 |
| ETIM 5.0 | EC001259 |


UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 43172015 |
| UNSPSC 7.0901 | 43201404 |
| UNSPSC 11 | 39121311 |
| UNSPSC 12.01 | 39121311 |
| UNSPSC 13.2 | 39121311 |

Drawings

Mounting material - PSD-S ME BT 110 - 2700156

Dimensioned drawing



Catalog photo



Figure may contain other products.