

## C-ME 4/2

Order No.: 3035759



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=3035759>

Connection bridge, for connecting 2 test disconnect terminal blocks

### Commercial data

|                          |                                                                                                       |
|--------------------------|-------------------------------------------------------------------------------------------------------|
| EAN                      | <br>4 046356 521857 |
| sales group              | A699                                                                                                  |
| Pack                     | 10 Pcs.                                                                                               |
| Customs tariff           | 85389099                                                                                              |
| Gross weight in pieces   | 0.00105 KG                                                                                            |
| Net weight per piece     | 0.00102 KG                                                                                            |
| Catalog page information | Page 69 (C-3-2013)                                                                                    |

### Product notes

WEEE/RoHS-compliant since:  
07/29/2009



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

|                                         |        |
|-----------------------------------------|--------|
| Color                                   | orange |
| Insulating material                     | PA     |
| Inflammability class according to UL 94 | V0     |

#### Dimensions

|        |         |
|--------|---------|
| Width  | 12.2 mm |
| Length | 5.2 mm  |

|        |         |
|--------|---------|
| Height | 23.8 mm |
|--------|---------|

#### Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;