

## RZ-KDS 4

Order No.: 1705058



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1705058>

Pitch spacer, raises the pitch by 2.5 mm, interlocks with terminal block of the same shape, color: green

### Commercial data

|                          |                                                                                                       |
|--------------------------|-------------------------------------------------------------------------------------------------------|
| EAN                      | <br>4 017918 023249 |
| sales group              | E590                                                                                                  |
| Pack                     | 100 Pcs.                                                                                              |
| Customs tariff           | 85389099                                                                                              |
| Gross weight in pieces   | 0.000657 KG                                                                                           |
| Net weight per piece     | 0.000545 KG                                                                                           |
| Catalog page information | Page 105 (CC-2007)                                                                                    |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### Dimensions

|       |      |
|-------|------|
| Pitch | 0 mm |
|-------|------|

#### General

|                       |                   |
|-----------------------|-------------------|
| Range of articles     | DECKEL + RZ + DP  |
| Nominal cross section | 4 mm <sup>2</sup> |
| Number of positions   | 1                 |

## Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachsmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact  
Technical modifications reserved;