

## Connector housing - STG 10-VBST 4 - 0710976


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Connector housing, length: 14.7 mm, width: 61.3 mm, height: 45 mm, number of positions: 10, color: black

RoHS

### Key Commercial Data

Packing unit	1500 pc
Minimum order quantity	1500 pc
GTIN	 4 017918 904289
GTIN	4017918904289
Weight per Piece (excluding packing)	9.730 g
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### Technical data

Color	black
Material	PA
Number of positions	10
Length	14.7 mm
Height	45 mm
Width	61.3 mm
Flammability rating according to UL 94	V0

#### Standards and Regulations

Flammability rating according to UL 94	V0
--	----

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

# Connector housing - STG 10-VBST 4 - 0710976

## Classifications

### eCl@ss

eCl@ss 10.0.1	27440202
eCl@ss 4.0	27141100
eCl@ss 4.1	27141100
eCl@ss 5.0	27141100
eCl@ss 5.1	27261200
eCl@ss 6.0	27261200
eCl@ss 7.0	27440202
eCl@ss 8.0	27440202
eCl@ss 9.0	27440202

### ETIM

ETIM 2.0	EC000897
ETIM 3.0	EC000897
ETIM 4.0	EC000437
ETIM 5.0	EC000437
ETIM 6.0	EC000437
ETIM 7.0	EC000437

### UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410
UNSPSC 18.0	31261501
UNSPSC 19.0	31261501
UNSPSC 20.0	31261501
UNSPSC 21.0	31261501

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

### Approval details

## Connector housing - STG 10-VBST 4 - 0710976

### Approvals

EAC



EAC-Zulassung