

## PRODUCT-DETAILS

# UVR-C XT1..XT4 F/P 220-240Vac-220-250Vdc

## UVR-C XT1..XT4 F/P 220-240Vac-220-250Vdc



### General Information

|                       |                                                                                             |
|-----------------------|---------------------------------------------------------------------------------------------|
| Extended Product Type | UVR-C XT1..XT4 F/P 220-240Vac-220-250Vdc                                                    |
| Product ID            | 1SDA066399R1                                                                                |
| EAN                   | 8015644003098                                                                               |
| Catalog Description   | UVR-C XT1..XT4 F/P 220-240Vac-220-250Vdc                                                    |
| Long Description      | UNDervOLTAGE RELEASE WIRED 220...240V AC-220...250V DC FOR C.BREAKER FIXED-PLUG-IN XT1..XT4 |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | 3182063       |
| EAN                    | 8015644003098 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85362090      |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 110 mm   |
| Product Net Height         | 60 mm    |
| Product Net Depth / Length | 140 mm   |
| Product Net Weight         | 0.121 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 110 mm        |
| Package Level 1 Height         | 60 mm         |
| Package Level 1 Depth / Length | 140 mm        |
| Package Level 1 Gross Weight   | 0.127 kg      |
| Package Level 1 EAN            | 8015644003098 |

## Additional Information

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Configuration Type              | Loose or configurable                |
| Current Type                    | AC/DC                                |
| Order Multiple                  | 1 piece                              |
| Product Main Type               | Accessories for Tmax XT              |
| Product Name                    | Accessory                            |
| Product Type                    | ACC                                  |
| Rated Voltage (U <sub>r</sub> ) | 220 ... 240 V AC<br>220 ... 250 V DC |
| Standards                       | IEC 60947-2                          |
| Suitable For                    | XT1, XT2, XT3, XT4                   |
| Suitable for Product Class      | SACE Tmax XT                         |

## Certificates and Declarations (Document Number)

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0204<br>1SDC210099D0204 |
| Instructions and Manuals          | 1SDH000719R0502                    |

## Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001022 - Under voltage coil                              |
| ETIM 7                     | EC001022 - Under voltage coil                              |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

