

## PRODUCT-DETAILS

# S2C-S/H6R

## S2C-S/H6R - Signal / Auxiliary Contact



### General Information

|                       |                                                                                                                                                                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | S2C-S/H6R                                                                                                                                                                                                                                                                                               |
| Product ID            | 2CDS200922R0001                                                                                                                                                                                                                                                                                         |
| EAN                   | 4016779563819                                                                                                                                                                                                                                                                                           |
| Catalog Description   | S2C-S/H6R - Signal / Auxiliary Contact                                                                                                                                                                                                                                                                  |
| Long Description      | Choice through a selector between indication of the position of the device's contacts and signalling of a fault (overcurrent/short-circuit for MCBs and RCBOs, earth fault for RCCBs and RCBOs). Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Sweden)      | 2102501       |
| EAN                    | 4016779563819 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85365080      |

### Dimensions

|                     |        |
|---------------------|--------|
| Product Net Width   | 8.8 mm |
| Product Net Height  | 85 mm  |
| Product Net Depth / | 69 mm  |

Length

|                    |          |
|--------------------|----------|
| Product Net Weight | 0.043 kg |
|--------------------|----------|

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 20 mm         |
| Package Level 1 Height         | 115 mm        |
| Package Level 1 Depth / Length | 104 mm        |
| Package Level 1 Gross Weight   | 0.045 kg      |
| Package Level 1 EAN            | 4016779678872 |
| Package Level 2 Units          | 60 piece      |
| Package Level 2 Width          | 275 mm        |
| Package Level 2 Height         | 210 mm        |
| Package Level 2 Depth / Length | 395 mm        |
| Package Level 2 Gross Weight   | 3.4 kg        |
| Package Level 2 EAN            | 4016779946209 |

## Environmental

|             |                                   |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Additional Information

|                            |                                                                                                                       |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Function                   | Signal / Auxiliary Contact                                                                                            |
| Power Loss                 | 0,5 W                                                                                                                 |
| Product Main Type          | S2C                                                                                                                   |
| Product Name               | Signal / Auxiliary Contact                                                                                            |
| RoHS Date                  | 0335                                                                                                                  |
| Standards                  | CSA 22.2 No. 235<br>GB14048.5<br>IEC/EN 60947-5-1<br>UL 1077                                                          |
| Suitable For               | S200<br>S200M<br>S200P<br>S200S<br>SN201L<br>SN201<br>SN201M<br>F200<br>DS201<br>DS202C<br>DS200<br>S-ARC1<br>DS-ARC1 |
| Suitable for Product Class | Miniature Circuit Breaker<br>Residual Current Device                                                                  |

| Certificates and Declarations (Document Number) |                 |
|-------------------------------------------------|-----------------|
| Data Sheet, Technical Information               | 9AKK106930A8017 |
| Declaration of Conformity - CE                  | 2CDK400629D2701 |
| Instructions and Manuals                        | 9AKK107680A3432 |
| RoHS Information                                | 2CDK440032D0203 |

| Classifications |                                                            |
|-----------------|------------------------------------------------------------|
| ETIM 4          | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 5          | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 6          | EC001286 - Auxiliary contact unit for distribution board   |
| ETIM 7          | EC001286 - Auxiliary device for distribution board devices |
| UNSPSC          | 39121614                                                   |
| WEEE Category   | 5. Small Equipment (No External Dimension More Than 50 cm) |
| eClass          | 7.0 27143502                                               |

| Categories                                                                                                                               |
|------------------------------------------------------------------------------------------------------------------------------------------|
| Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts |

