



accessory for VL150XUL, VL150UL, VL250UL, VL400UL, VL400XUL (CG frame – LG frame) undervoltage release 220...250V DC f. inst. in r.h. access. comp. spare part product only for replacement purposes

Model	
product brand name	SENTRON
product designation	Undervoltage release
design of the product	220 to 250 V DC
Accessories	
accessories	Accessory for VL150XUL, VL160UL, VL250UL, VL400UL, VL400XUL
Mechanical Design	
Net Weight	0.105 kg
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)



Test Certificates	other
-------------------	-------

[Special Test Certi-  
ficate](#)

[Confirmation](#)



[Miscellaneous](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=3VL9400-1US01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VL9400-1US01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mifb=3VL9400-1US01](https://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=3VL9400-1US01)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>)

---

last modified:

4/4/2025 

