

accessories for strips 3NJ41 in-line fuse switch disconnectors, size NH1-3 current transformers can be integrated 400/5 A, Cl. 3.75 VA



Figure similar

Model		
product brand name	SENTRON	
product designation	Current transformer	
design of the product	accessory for fuse switch disconnector 3NJ41	
operating voltage	0.72 kV	
insulation voltage rated value	3 kV	
designation of overcurrent limiting factor	FS 5	
current		
• at input rated value	400 A	
value range of the operating frequency	50/60 Hz	
Protection class		
protection class IP	IP20	
Mechanical Design		
height	80 mm	
width	52 mm	
depth	26 mm	
Net Weight	221 g	
Environmental conditions		
ambient temperature during operation		
• minimum	-10 °C	
• maximum	55 °C	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)



[Confirmation](#)

other



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NJ4915-2HB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NJ4915-2HB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NJ4915-2HB20

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

4/15/2025 

