










SITOR cylindrical fuse link, 10 x 38 mm, 8 A, aR, Un AC: 600 V, Un DC: 700 V, DC according to UL

Figure similar

Model						
product brand name	SENTRON					
product designation	SITOR fuse link					
design of the product	DC acc. to UL					
General technical data						
operating class of the fuse link	aR					
type of voltage of the operating voltage	AC					
supply voltage at DC	700 V					
Dissipation						
power loss [W]	2 W					
power loss [W] for rated value of the current at AC in hot operating state per pole	2 W					
Main circuit						
operational current rated value	8 A					
Product details						
product component striker	No					
Mechanical Design						
mounting position	Any, preferably vertical					
Net Weight	9 g					
Approvals Certificates						
Environment	General Product Approval					
Environmental Confirmations		Environmental Confirmations				
General Product Approval	other	Confirmation			Confirmation	

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mifb=3NC1008>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1008>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mifb=3NC1008

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

11/14/2025

