









SITOR cylindrical fuse link, 14x51 mm, 32 A, aR, Un AC: 690 V, Un DC: 600 V, DC according to UL, Striker indicator

Figure similar

Model					
product brand name	SENTRON				
product designation	SITOR fuse link				
design of the product	DC acc. to UL				
design of an identification indicator	Striker indicator				
General technical data					
operating class of the fuse link	aR				
type of voltage of the operating voltage	AC				
supply voltage at DC	600 V				
Dissipation					
power loss [W]	7.6 W				
power loss [W] for rated value of the current at AC in hot operating state per pole	8 W				
Main circuit					
operational current rated value	32 A				
Product details					
product component striker	Yes				
Mechanical Design					
mounting position	Any, preferably vertical				
Net Weight	23 g				
Approvals Certificates					
Environment	General Product Approval				
<a href="#">Environmental Confirmations</a>		<a href="#">Environmental Confirmations</a>			<a href="#">Confirmation</a>
General Product Approval	other			<a href="#">Confirmation</a>	

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC1432-5>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC1432-5>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NC1432-5](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC1432-5)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

11/14/2025 

