



SITOR cylindrical fuse link, 22x58 mm, 40 A, aR, Un AC: 690 V, Un DC: 700 V, DC according to UL

Figure similar

| Model   |                          |
|---|--------------------------|
| product brand name  | SENTRON                  |
| product designation   | SITOR fuse link          |
| design of the product   | DC acc. to UL            |
| General technical data  |                          |
| operating class of the fuse link  | aR                       |
| type of voltage of the operating voltage  | AC                       |
| supply voltage at DC  | 700 V                    |
| Dissipation   |                          |
| power loss [W]  | 8.5 W                    |
| power loss [W] for rated value of the current at AC in hot operating state per pole | 9 W                      |
| Main circuit  |                          |
| operational current rated value   | 40 A                     |
| Product details   |                          |
| product component striker   | No                       |
| Mechanical Design   |                          |
| mounting position   | Any, preferably vertical |
| Net Weight  | 57 g                     |
| Approvals Certificates  |                          |
| Environment   | General Product Approval |

[Environmental Confirmations](#)



[Environmental Confirmations](#)



[Confirmation](#)

General Product Approval

other



[Confirmation](#)

### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2240>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NC2240>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NC2240](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2240)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

11/14/2025

