








SITOR cylindrical fuse link, 22x127 mm, 40 A, gR, Un AC: 1500 V, Un DC: 1000 V

| Model                                       |   |   |   |   |   |
|---|---|---|---|---|---|
| product brand name                          | SETRON  |   |   |   |   |
| product designation                         | SITOR fuse link   |   |   |   |   |
| General technical data                      |   |   |   |   |   |
| operating class of the fuse link            | gR  |   |   |   |   |
| type of voltage of the operating voltage    | AC  |   |   |   |   |
| supply voltage at DC                        | 1 000 V   |   |   |   |   |
| Main circuit                                |   |   |   |   |   |
| operational current rated value             | 40 A  |   |   |   |   |
| Product details                             |   |   |   |   |   |
| product component striker                   | No  |   |   |   |   |
| Mechanical Design                           |   |   |   |   |   |
| mounting position                           | Any, preferably vertical  |   |   |   |   |
| Net Weight                                  | 104 g   |   |   |   |   |
| Approvals Certificates                      |   |   |   |   |   |
| Environment                                 | General Product Approval  |   |   |   |   |
| <a href="#">Environmental Confirmations</a> |  | <a href="#">Environmental Confirmations</a>   |  | <a href="#">Confirmation</a>  |  |
| General Product Approval                    | other   |  | <a href="#">Confirmation</a>  |  |   |

| Further information  |   |
|--|---|
| Information on the packaging                                       | <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                   |
| Information for data generation and storage                        | <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>                                   |
| Information- and Downloadcenter (Catalogs, Brochures,...)          | <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>   |
| Industry Mall (Online ordering system)                             | <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2340-0MK">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2340-0MK</a> |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...) | <a href="https://support.industry.siemens.com/cs/ww/en/ps/3NC2340-0MK">https://support.industry.siemens.com/cs/ww/en/ps/3NC2340-0MK</a>                                   |

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NC2340-0MK](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2340-0MK)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

11/14/2025 

