



SENTRON, cylindrical fuse link, 10x85 mm, 8 A, gPV, Un DC: 1500 V

Figure similar

| Model | | |
|--|--------------------------|-------|
| product brand name | SENTRON | |
| product designation | Cylindrical fuse link | |
| General technical data | | |
| operating class of the fuse link | gPV | |
| type of voltage of the operating voltage | DC | |
| supply voltage at DC | 1 500 V | |
| Main circuit | | |
| operational current rated value | 8 A | |
| Product details | | |
| product component striker | No | |
| Mechanical Design | | |
| mounting position | Any, preferably vertical | |
| Net Weight | 16 g | |
| Approvals Certificates | | |
| Environment | General Product Approval | other |

[Environmental Conformations](#)




[Confirmation](#)

[Confirmation](#)



Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW6608-4>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3NW6608-4>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW6608-4
- CAX-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>
- Characteristic curves
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>



last modified:

4/11/2025 

