



LV HRC fuse base Sz. 1, 1-pole 250 A 690 V (1000 V) Double busbar terminal

Model	
product brand name	SENTRON
product designation	LV HRC fuse system
design of the product	LV HRC fuse base
design of the thread of the connection screw	M10
General technical data	
number of poles	1
size of fuse system according to EN 60269-1	NH1
utilization category	Without
Supply voltage	
supply voltage	
• at AC	690 V
• at DC	440 V
Product details	
product component swivel-in mechanism	No
maximum short-circuit current breaking capacity (I <sub>cu</sub> )	
• at AC rated value	120 kA
• at DC rated value	25 kA
Connections	
connectable conductor cross-section on box terminal	
• minimum	2.5 mm <sup>2</sup>
• maximum	50 mm <sup>2</sup>
tightening torque of the screw for securing the equipment maximum	2.5 N·m
tightening torque with screw-type terminals maximum	38 N·m
type of electrical connection	with twin bar connection
• for main current circuit	flat connector
Mechanical Design	
height	202 mm
width	49 mm
depth	84 mm
fastening method	fixed mounting
fastening method bus-mounting	No
Net Weight	764 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)



Test Certificates

other

[Special Test Certific-  
ate](#)

[Confirmation](#)



[Miscellaneous](#)

#### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NH3220>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NH3220>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NH3220](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NH3220)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

last modified:

6/13/2025

