


accessories circuit breaker 3WL maine conductor conn. 1 piece fixed-mounted circ.br. size II front conn. bottom dual hole front accessible up to2500A



Model	
product brand name	SENTRON
product designation	Accessories for 3WL circuit breaker
design of the product	Main conductor connections 1 unit fixed-mounted circuit breaker
size of the circuit-breaker	2
Accessories	
accessories	other
minimum connectable cross-section version for main contacts	Cu busbar, bare: 2 x 100 x 10 mm ² , Cu busbar, painted black: 2 x 100 x 10 mm ²
Mechanical Design	
Net Weight	3.7 kg
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



Test Certificates	other
-------------------	-------

[Miscellaneous](#)

[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL9111-0AL62-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL9111-0AL62-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL9111-0AL62-0AA0

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

5/24/2025 

