



PE-through terminal, Front installation, accessory for Load disconnecter 3LD3

Model	
product brand name	SENTRON
product designation	PE through-type terminal
design of the product	accessories for 3LD3 switch disconnectors
Accessories	
accessories	front mounting
<b>AWG number as coded connectable conductor cross section</b>	
• minimum	14
• maximum	6
<b>tightening torque with screw-type terminals</b>	
• minimum	3 N·m
• maximum	3 N·m
<b>type of connectable conductor cross-sections for main contacts</b>	
• finely stranded with core end processing	1x (2.515 mm <sup>2</sup> )
• solid or stranded	1x (2.5 ... 16 mm <sup>2</sup> )
Mechanical Design	
Net Weight	40 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)



other

[Confirmation](#)



**Further information**

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9340-3B>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3LD9340-3B>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9340-3B](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9340-3B)

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

last modified:

4/12/2025 

