



LV HRC Isolating Link, Size NH3, early make, for 4-pole applications, accessories for 3NP1 fuse switch disconnectors

| Model | |
|---------------------------------|---------------------------------|
| product brand name | SENTRON |
| product designation | Isolating blades |
| design of the product | LV HRC isolating blade, leading |
| size of fuse link | LV HRC3 |
| Main circuit | |
| operational current rated value | 630 A |
| Mechanical Design | |
| Net Weight | 292 g |
| Approvals Certificates | |
| Environment | General Product Approval |

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)

[Miscellaneous](#)



EG-Konf.

General Product Ap-
proval

Maritime application

other



[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NP1964-1MA20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NP1964-1MA20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NP1964-1MA20


CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves



last modified:

5/24/2025 