







SENTRON, cylindrical fuse holder, 22x58 mm, 3P+N, In: 100 A, Un AC: 690 V, LED signal detector

Model		
product brand name	SENTRON	
product designation	Cylindrical fuse holder	
design of the product	LED signal detector	
General technical data		
number of poles	4	
design of pole	3P+N	
size of fuse link	22 x 58 mm	
Supply voltage		
operating voltage		
• at AC rated value	690 V	
protection class IP	IP20	
Mechanical Design		
height	117 mm	
width	144 mm	
depth	70 mm	
Net Weight	732 g	
Certificates		
reference code according to IEC 81346-2	F	
Approvals Certificates		
Environment	General Product Approval	Test Certificates
Environmental Confirmations		 EG-Konf.
		Confirmation
		Miscellaneous
other		
Confirmation		
Further information		
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875		
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012		
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs		
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7262		
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3NW7262		
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7262		
CAx-Online-Generator https://www.siemens.com/cax		
Tender specifications https://www.siemens.com/specifications		
Characteristic curves <a haupt"><="" href="https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=" mmp_prod_no>"="">https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>		



last modified:

4/11/2025 

