





SENTRON, cylindrical fuse holder, 8x32 mm, 3-pole, In: 20 A, Un AC: 400 V

Model	
product brand name	SENTRON
product designation	Cylindrical fuse holder
General technical data	
number of poles	3
size of fuse link	8x32 mm
Supply voltage	
operating voltage	400 V
• at AC rated value	
protection class IP	IP20
Mechanical Design	
height	81 mm
width	54 mm
depth	64 mm
Net Weight	190 g
Certificates	
reference code according to IEC 81346-2	F

Approvals Certificates		
Environment	General Product Approval	Test Certificates
<a href="#">Environmental Conformations</a>		<a href="#">Confirmation</a>
		
		<a href="#">Miscellaneous</a>

other	
<a href="#">Confirmation</a>	

Further information
Information on the packaging <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>
Information for data generation and storage <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>
Information- and Downloadcenter (Catalogs, Brochures,...) <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>
Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7333>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3NW7333>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7333](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7333)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)





last modified:

4/11/2025 

