



device adapter S00, 25 A, for 60 mm busbar system, 45x 260 mm long, special lines welded-on, AWG 12, 167 mm long spacer enclosed with product mounting rail screwed on

| Model                           |                          |
|---------------------------------|--------------------------|
| product brand name              | SENTRON                  |
| product designation             | Device adapter           |
| design of the product           | Accessories              |
| number of mounting rails        | 1                        |
| Connections                     |                          |
| type of electrical connection   | AWG 12                   |
| Mechanical Design               |                          |
| height                          | 260 mm                   |
| width of the adapter            | 45 mm                    |
| depth                           | 63 mm                    |
| thickness of the busbar         |                          |
| • minimum                       | 5 mm                     |
| • maximum                       | 10 mm                    |
| busbar center-to-center spacing | 60 mm                    |
| Net Weight                      | 340 g                    |
| Approvals Certificates          |                          |
| Environment                     | General Product Approval |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



General Product Approval

Test Certificates

[Confirmation](#)



[Type Test Certifi-  
cates/Test Report](#)

[Special Test Certifi-  
cate](#)

[Miscellaneous](#)

Maritime application



Maritime application other

Railway



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1251-5DT11>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1251-5DT11>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1251-5DT11](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1251-5DT11)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/8/2025

