



busbar system, accessory busbar center-to-center spacing 60 mm connecting terminal plate busbar thickness: 5.10 mm+TT profile width: 54 mm, 6-50 mm<sup>2</sup> with cover, 3-pole

| Model                           |                      |
|---------------------------------|----------------------|
| product brand name              | SENTRON              |
| product designation             | connection module    |
| design of the product           | Accessories          |
| Connections                     |                      |
| type of electrical connection   | 6-50 mm <sup>2</sup> |
| Mechanical Design               |                      |
| height                          | 200 mm               |
| width of the adapter            | 54 mm                |
| thickness of the busbar         |                      |
| • minimum                       | 5 mm                 |
| • maximum                       | 10 mm                |
| busbar center-to-center spacing | 60 mm                |
| Net Weight                      | 416 g                |

| Approvals Certificates |                          |
|------------------------|--------------------------|
| Environment            | General Product Approval |

[Environmental Confirmations](#)

[Environmental Confirmations](#)



| General Product Approval | Test Certificates | other |
|--------------------------|-------------------|-------|
|--------------------------|-------------------|-------|

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)



| other |
|-------|
|-------|

[Miscellaneous](#)

| Further information |
|---------------------|
|---------------------|

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1921-1BA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1921-1BA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8US1921-1BA00](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1921-1BA00)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/11/2025

