



busbar system, accessory busbar center-to-center spacing 40, 60 mm busbar connection piece busbar thickness: 5.10 mm width: 20-30 mm length 40 mm

Model	
product brand name	SENTRON
product designation	Busbar connection piece
design of the product	Accessories
Supply voltage	
operating voltage at AC rated value	690 V
Dissipation	
power loss [W]	0.3 W
suitability for use	for busbars 20, 25, 30 x 5, 10 mm and mounting rails
Connections	
tightening torque	15 N·m
• maximum	
Mechanical Design	
Net Weight	236 g
Approvals Certificates	
Environment	General Product Approval

[Environmental Confirmations](#)

[Environmental Confirmations](#)



[Confirmation](#)



Test Certificates	other
-------------------	-------

[Miscellaneous](#)


[Confirmation](#)

[Miscellaneous](#)



### Further information

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1921-2BE00>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/8US1921-2BE00>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



last modified:

4/11/2025 

