

busbar system, accessory busbar center-to-center spacing 60 mm cover for connecting terminals up to 300 mm 3-pole only for busbars: 20, 25, 30x Oct. 5 width: 270 mm



Model	
product brand name	SENTRON
product designation	Cover for terminal
design of the product	Accessories
suitability for use	Busbars: 20-30 x 5-10 mm

Connections	
type of connectable conductor cross-sections for copper conductor stranded	300 mm ²

Mechanical Design	
width	270 mm
busbar center-to-center spacing	60 mm
Net Weight	645 g

Approvals Certificates	
Environment	General Product Approval

[Environmental Confirmations](#)

[Environmental Confirmations](#)



[Confirmation](#)

General Product Approval	Test Certificates	other
--------------------------	-------------------	-------



[Miscellaneous](#)

[Confirmation](#)



[Miscellaneous](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1922-1GA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1922-1GA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1922-1GA02

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



01757

last modified:

4/11/2025

