



terminal set, 3-pole, circular conductor 95-300 mm², AWG, busbar center-to-center spacing 60 mm, IEC/UL 508A, cover 8US1922-1GC00 to be ordered separately

| Model | |
|-----------------------|--|
| product brand name | SETRON |
| product designation | Connecting terminal |
| design of the product | Accessories |
| suitability for use | Circular conductor, aluminum conductor |

| Connections | |
|--|---------------------------|
| type of connectable conductor cross-sections for copper conductor stranded | 95 to 300 mm ² |

| Mechanical Design | |
|---------------------------------|----------|
| busbar center-to-center spacing | 60 mm |
| Net Weight | 1.553 kg |

| Approvals Certificates | |
|------------------------|--------------------------|
| Environment | General Product Approval |

[Environmental Confirmations](#)

[Environmental Confirmations](#)



| General Product Approval | Test Certificates | other |
|--------------------------|-------------------|-------|
|--------------------------|-------------------|-------|

[Confirmation](#)



[Miscellaneous](#)

[Confirmation](#)



| other |
|-------|
|-------|

[Miscellaneous](#)

| Further information |
|---------------------|
|---------------------|

- Information on the packaging <https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage <https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...) <https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1941-2AA03>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1941-2AA03>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2AA03

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



last modified:

4/4/2025

