

Specifications



Eaton 229015

Eaton Moeller® series M22 Acoustic device, compact, IP40_x

General specifications

PRODUCT NAME	Eaton Moeller® series M22 acoustic indicator
CATALOG NUMBER	229015
MODEL CODE	M22-AMC
EAN	4015082290153
PRODUCT LENGTH/DEPTH	62 mm
PRODUCT HEIGHT	30 mm
PRODUCT WIDTH	30 mm
PRODUCT WEIGHT	0.024 kg
COMPLIANCES	CE Marked
CERTIFICATIONS	CSA Std. C22.2 No. 94-91 UL 508 IEC 60947-5 EN 60947-5 CSA Std. C22.2 No. 14-05 VDE CSA-C22.2 No. 94-91 CSA-C22.2 No. 14-05 UL Category Control No.: NKCR CE CSA File No.: 012528 IEC/EN 60947 VDE 0660 IEC/EN 60947-5 CSA Class No.: 3211-03 UL File No.: E29184 UL CSA
CATALOG NOTES	without buzzer



Powering Business Worldwide

Actuator

FITTED WITH:	BA 9s lamp socket
---------------------	-------------------

Climatic environmental conditions

AMBIENT OPERATING TEMPERATURE - MAX	70 °C
--	-------

AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
--	--------

CLIMATIC PROOFING	Damp heat, constant, to IEC 60068-2-78 Damp heat, cyclic, to IEC 60068-2-30
--------------------------	--

Communication

CONNECTION TO SMARTWIRE-DT	No
-----------------------------------	----

Electrical rating

RATED INSULATION VOLTAGE (UI)	250 V
--------------------------------------	-------

General information

DEGREE OF PROTECTION	IP40 NEMA 4X, 13
-----------------------------	---------------------

MOUNTING POSITION	As required
--------------------------	-------------

OVERVOLTAGE CATEGORY	III
-----------------------------	-----

POLLUTION DEGREE	3
-------------------------	---

PRODUCT CATEGORY	Accessories
-------------------------	-------------

RATED IMPULSE WITHSTAND VOLTAGE (UIMP)	4000 V AC
---	-----------

TYPE	Compact
-------------	---------

VOLTAGE TYPE	AC/DC
---------------------	-------

Terminal capacities

TERMINAL CAPACITY (SOLID)	2 x (0.5 - 1.5) mm ²
----------------------------------	---------------------------------

TERMINAL CAPACITY (STRANDED)	0.5 - 1.5 mm ²
-------------------------------------	---------------------------

Resources

CATALOGUES	eaton-pushbuttons-signal-towers-sensors-assortment-overview-catalog-ca047003en-en-us.pdf eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf
DECLARATIONS OF CONFORMITY	eaton-potentiometer-declaration-of-conformity-eu251540en.pdf
DRAWINGS	eaton-operating-acoustic-m22-acoustic-device-dimensions.eps eaton-general-m22-standards.eps eaton-general-approval-m22-symbol.eps eaton-general-m22-symbol.eps
ECAD MODEL	DA-CE-ETN.M22-AMC
INSTALLATION INSTRUCTIONS	IL04716002Z
MCAD MODEL	eaton-akustikmelder-3d-model.stp eaton-buzzers-mcad-3d-models-m22-amc.stp eaton-buzzers-mcad-drawings-akustikmelder.dwg

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

