

ALPHA 630 Universal Circuit breaker kit 1x 3VA20-22/100A/160A/250A 3+4-pole  
H=200 mm W=900 mm, horizontal Installation

Model	
product brand name	ALPHA UNIVERSAL
product designation	Assembly kit for 3VA2 molded-case circuit breakers
design of the product	1x 3VA20-22 /100A /160A /250A
cover plate version	with cutout
product component	
• grounding bus	No
• plastic cover plate	Yes
• mounting plate	Yes

Mechanical Design	
height	200 mm
width	900 mm
mounting position	horizontal
Net Weight	4.58 kg

Approvals Certificates			
Environment	General Product Approval	Test Certificates	other

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)

[Special Test Certific-  
ate](#)

[Confirmation](#)

other

[Miscellaneous](#)



### Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK6720-2KK33>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK6720-2KK33>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK6720-2KK33](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK6720-2KK33)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

last modified:

1/15/2026 