

LED, base BA15d, red, 24 V AC/DC, accessory for signaling columns, with diameter 50 mm and 70 mm



Figure similar

| | |
|--|----------------|
| product brand name | SIRIUS |
| product designation | LED |
| General technical data | |
| type of voltage of the operating voltage | AC/DC |
| operating voltage | |
| • 1 at DC rated value | 24 V |
| • 1 at AC at 50 Hz rated value | 24 V |
| • 1 at AC at 60 Hz rated value | 24 V |
| relative positive tolerance of the operating voltage | 10 % |
| relative negative tolerance of the operating voltage | -15 % |
| consumed current maximum | 16 mA |
| reference code according to EN 61346-2 | P |
| Lamp | |
| type of light source | LED |
| light intensity | 1.3 cd |
| socket design | BA 15d |
| Enclosure | |
| height | 45 mm |
| width | 20 mm |
| outer diameter of the signal column element | 70 mm |
| color | red |
| Ambient conditions | |
| ambient temperature during operation | -20 ... +60 °C |
| Approvals Certificates | |
| General Product Approval | other |



[Confirmation](#)



[Confirmation](#)

[Confirmation](#)

other

Environment



[Environmental Con-
firmations](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WD4428-6XB>

Cax online generator

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=8WD4428-6XB>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8WD4428-6XB>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=8WD4428-6XB&lang=en

-P



last modified:

4/1/2025 