



Terminal 1-pole, for bar 20x 8 Conductor connection 1x 50-240 mm<sup>2</sup>



Model	
product brand name	ALPHA
product designation	Accessories
design of the product	terminal
product type designation	8JK3
accessories	others
Mechanical Design	
Net Weight	313 g
Approvals Certificates	
General Product Approval	



Further information
Information on the packaging <a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>
Information for data generation and storage <a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>
Information- and Downloadcenter (Catalogs, Brochures,...) <a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>
Industry Mall (Online ordering system) <a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8JK3171">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8JK3171</a>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) <a href="https://support.industry.siemens.com/cs/ww/en/ps/8JK3171">https://support.industry.siemens.com/cs/ww/en/ps/8JK3171</a>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) <a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8JK3171">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8JK3171</a>
CAX-Online-Generator <a href="https://www.siemens.com/cax">https://www.siemens.com/cax</a>
Tender specifications <a href="https://www.siemens.com/specifications">https://www.siemens.com/specifications</a>
Characteristic curves <a haupt"&gt;&lt;="" href="https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP=" mmp_prod_no&gt;"="">https://curves.simaris.siemens.com/curves/&lt;mmp_prod_noCOMP="HAUPT"&gt;&lt;/mmp_prod_no&gt;</a>



1) 8JK3 172: 88 mm high.

---

last modified:

8/7/2025 

