

ATC6300 protective seal accessory for ATC6300 for front-side IP65 protection; 144 x 144 mm contains 1 unit

Model	
product brand name	SETRON
product designation	Accessories for transfer control device
design of the product	ATC6300 protective seal
General technical data	
operating temperature	
• minimum	-20 °C
• maximum	60 °C
Product details	
product feature of enclosure material	Silicone rubber SH40
Accessories	
accessories	Accessories for ATC6300
Mechanical Design	
height	140.5 mm
width	140.5 mm
depth	8.2 mm
Net Weight	8 g
Environmental conditions	
relative humidity reference value	80 %
ambient temperature during storage	
• minimum	-30 °C
• maximum	80 °C
Approvals Certificates	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



[Confirmation](#)

other

[Miscellaneous](#)

[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9000-8TL67>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3KC9000-8TL67>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KC9000-8TL67](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9000-8TL67)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/3/2025 

