



Accessories: Adapter cable for magnet switch 3SE66, 4-pole socket at one end, M12 connector 8-pole at the other end Cable 300 mm long. Customer-specific, see data sheet

General technical data	
product brand name	SIRIUS
operating voltage rated value	30 V
ambient temperature during operation	-25 ... +80 °C
overvoltage category	2
degree of pollution	3
protection class IP	IP67

Certificates/ approvals	
General Product Approval	other



[Confirmation](#)

[Confirmation](#)



Environment

[Environmental Confirmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SX5600-8SA00-1AK2>

Cax online generator

<https://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SX5600-8SA00-1AK2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SX5600-8SA00-1AK2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

https://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SX5600-8SA00-1AK2&lang=en



