

Fork-type busbar touch-safe, 1-phase 16 mm<sup>2</sup>, 56 MW



Figure similar

Model	
product brand name	SENTRON
product designation	Fork-type busbar
design of the product	1PH 16mm <sup>2</sup> 56MW
busbar design	laminated
General technical data	
surface processing tin-plated	No
Main circuit	
operational current rated value	120 A
Product details	
product feature flexible	Yes
Mechanical Design	
width	13 mm
length	1 000 mm
thickness of busbar	3.5 mm
Net Weight	222 g
material of the busbar	SF-Cu F 24

**Approvals Certificates**

Environment	General Product Approval
-------------	--------------------------

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

[Miscellaneous](#)



[Confirmation](#)



General Product Ap- proval	other
-------------------------------	-------



[Confirmation](#)

**Further information**

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST2190>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST2190>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST2190](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST2190)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



last modified:

4/11/2025 

