

Spare part for rotary operating mechanism 8UC6 Coupling driver shortened with reduced Tolerance compensation for shaft 6 mm



| Model | | |
|-------------------------------------|---|-------|
| product brand name | SETRON | |
| product designation | Coupling driver | |
| design of the product | for rotary operator 8UC6, shaft 6 mm, shortened with reduced tolerance compensation | |
| Product details | | |
| product feature interlock | No | |
| product component | | |
| • extension shaft | No | |
| • handle for emergency-OFF function | No | |
| product feature lockable | No | |
| Mechanical Design | | |
| Net Weight | 0.045 kg | |
| Approvals Certificates | | |
| Environment | General Product Approval | other |

[Environmental Confirmations](#)



[Confirmation](#)



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC6016>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UC6016>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC6016

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

5/9/2025 

