

8UC7 door operating mechanism handle red/yellow Basic 8UC7 door operating mechanism for switch disconnecter 3KL50, 3KM50, 3KA50, 3KA51 for actuating shafts 6 x 6 mm



Model		
product brand name	SETRON	
product designation	Door-coupling rotary operating mechanism	
design of the product	for 3KL50, 3KM50, 3KA50, 3KA51, operating shafts 6 x 6 mm	
Product details		
product feature interlock	Yes	
product component		
• extension shaft	Yes	
• handle for emergency-OFF function	Yes	
product feature lockable	Yes	
Mechanical Design		
Net Weight	0.335 kg	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)

other



Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC7121-3BB10>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8UC7121-3BB10>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7121-3BB10
- CAx-Online-Generator
<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

5/19/2025 

