

Door operating mechanism 8UC7 Handle dark blue/blue-green Basic Masking frame light gray for 3-pole switch disconnecter 3KL50, 3KM50, 3KA50, 3KA51 w. reduced tolerance compensation for actuating shafts 6x 6 mm

Model		
product brand name	SENTRON	
product designation	Door-coupling rotary operating mechanism	
design of the product	for 3-pole 3KL50, 3KM50, 3KA50, 3KA51, with reduced tolerance compensation, operating shafts 6 x 6 mm	
Product details		
product feature interlock	Yes	
product component		
• extension shaft	Yes	
• handle for emergency-OFF function	No	
product feature lockable	Yes	
Mechanical Design		
Net Weight	299 g	
Approvals Certificates		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)

other



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UC7161-1BB10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UC7161-1BB10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7161-1BB10

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

last modified:

5/23/2025

