



Door-coupling rotary operating mechanism standard with tolerance compensation
 Size 100x 100, Shaft 10x 10, 300 mm, I-0-II, Complete unit Handle size 140 mm
 Accessory for 3KC0 size 4

Model		
product brand name	SETRON	
product designation	Door mounted rotary operator	
design of the product	standard with tolerance compensation	
design of handle	Gray	
design of the door lock system	Door interlocking	
size of cross-section of the shaft of door-coupling rotary operating mechanism	10x10 mm	
size format of the masking frame of door-coupling rotary operating mechanism	100x 100 mm	
length of handle	140 mm	
length of shaft of door-coupling rotary operating mechanism	300 mm	
protection class IP	IP65	
suitability for use	3KC0 MTSE, 3KD size 1 and 2, 3KF size 1	
Product details		
product description	size 100x100 mm, shaft 8 x8 mm	
product feature interlock	Yes	
product component		
• extension shaft	Yes	
• handle for emergency-OFF function	No	
product feature lockable	Yes	
Accessories		
accessories	Door-coupling rotary operating mechanism	
display version for switch position indicator	I-0-II	
Mechanical Design		
height	144 mm	
width	98 mm	
depth	450 mm	
Net Weight	1.236 kg	
Approvals Certificates		
Environment	General Product Approval	Maritime application

[Environmental Confirmations](#)



[Confirmation](#)



other

**Further information****Information on the packaging**

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1151-3AE21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1151-3AE21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1151-3AE21

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/4/2025

