




Door-coupling rotary operating mechanism standard with tolerance compensation
 Size 100x 100, Shaft 12x 12, 300 mm, I-0-II, Complete unit Handle size 200 mm
 Accessory for 3KC0 size 5



Model					
product brand name	SETRON				
product designation	Door mounted rotary operator				
design of the product	standard with tolerance compensation				
design of handle	Gray				
design of the door lock system	Door interlocking				
size of cross-section of the shaft of door-coupling rotary operating mechanism	12x12 mm				
size format of the masking frame of door-coupling rotary operating mechanism	100x 100 mm				
length of handle	200 mm				
length of shaft of door-coupling rotary operating mechanism	300 mm				
protection class IP	IP65				
suitability for use	3KC0 MTSE, 3KD size 1 and 2, 3KF size 1				
Product details					
product description	size 100x100 mm, shaft 8 x8 mm				
product feature interlock	Yes				
product component					
• extension shaft	Yes				
• handle for emergency-OFF function	No				
product feature lockable	Yes				
Accessories					
accessories	Door-coupling rotary operating mechanism				
display version for switch position indicator	I-0-II				
Mechanical Design					
height	144 mm				
width	98 mm				
depth	450 mm				
Net Weight	1.347 kg				
Approvals Certificates					
Environment	General Product Approval	Test Certificates			
Environmental Conformations		Confirmation			Type Test Certificates/Test Report
Maritime application	other				

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1161-4AE21>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1161-4AE21>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1161-4AE21

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Characteristic curves

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



last modified:

4/4/2025

